

INDEX MAPS.

T. 32 N., R. 6 E. 2nd Mer.

	8	7	34	7	6	6						
9	6	32	5	25	4	22	3	18	2	15	1	3
	31		31		25		21		18		14	
9	7	31	8	25	9	21	10	18	11	14	12	4
	30-36		30		24		21		17		14	
10	18	30	17	24	16	20	15	17	14	13	13	4
	29		29		24		20		17		13	
10	19	28	20	23	21	20	22	16	23	13	24	5
	28		28		23		19		16		12	
10	30	27	29	23	28	19	27	16	26	12	25	5
	27		26		22		19		15		12	
11	31	26	32	22	33	19	34	15	35	11	36	5
	3		2		2		2		1		1	

Meanders 32

T. 33 N., R. 6 E. 2nd Mer.

	46		46		46		45		45		44	
46	6	66	5	64	4	60	3	61	2	61	1	42
								75		73		
	66		65		64		60-75		75		73-52	
47	7	65	8	63	9	60	10	74	11	72	12	42
	62		62		62-63		59-74		73		72-51	
47	18	64	17	63	16	59	15	73	14	72	13	43
		82		78				55		51		
	82		81		78-58		58		54		50	
47	19	81	20	78	21	58	22	54	23	50	24	43
	81		80		77-57		57		54		50	
48	30	80	29	77	28	57	27	53	26	50	25	43
	79		79		77-56		56		52		49	
48	31	79	32	77	33	55	34	52	35	49	36	44
		55		55								
	41		41		40		40		39		39	

Meanders 66, 76

The figures on the lines refer to the page.

Township No 33 North of Range No. 6 East 2nd Mer. Indiana. 39

South Boundary

var. 6.07' E

- 1126 On South Boundary of Sec. 35.
 10. 50 Leave Marsh
 30. 50 A W. Walnut 32 in. diam.
 40. 00 Set a q. the post from which
 a Spruce 10 in. diam. bears N 51 1/2 E 50 links dist & and
 an Elm 11 " " " N 75 1/4 W. 40 " "
 115. 44 A Blue Ash 11 in. diam.
 50. 30 A Sycamore 30 " "
 12. 00 Dry Channel of a Brook 10 links wide. Course S. W.
 73. 84 A Beech 14 in. diam.
 76. 00 Channel of a Brook 10 links wide. Course S. W.
 some water. The line has crossed this Brook some
 10 times in 15 chains
 80. 00 Set a Post Corner to Sec. 35 & 36. from which
 a Blue Ash 18 in. diam. bears N 57 1/2 W 4. 1/2 links dist
 & a Beech 14 " " " N 81 E 4 " "
 Sand Rolling: mostly 1st rate. Some broken by low
 places. Timber: Beech. Oak. Walnut. Ash. Elm.
 & Spice.

-
- 1126 On South Boundary of Sec. 35.
 32. 79 An Elm 8 in. diam.
 33. 00 Leave rich timbered land & Enter Marsh
 40. 00 Set a q. the post from which
 a P. Oak 14 in. diam. bears N 63 1/3 E. 3. 15 links dist &
 an Elm 14 " " " N 26 1/4 E. 1. 72 " "
 50 50 Leave Marsh
 54 00 Marsh
 62 00 A Brook 25 links wide. Course S. by W. Sluggish.
 from a Lake about 1/2 a mile N E.
 80. 07 A W. Oak 10 in. diam. & Enter Marsh that left
 on the West Bank of Brook
 73. 50 Leave the Marsh
 80. 00 Set a Post Corner to Sec. 34 & 35 from which
 a W. Oak 13 in. diam. bears N 77 1/3 W 4 links dist &

T. 33. N. R. 6. E. 2nd Mer. Indiana.

a W. Oak 15 in. diam. bears N 50 E 13 links dist.
Dry Land On East & similar On West & Rolling
Barrens. thin sandy soil. Timber: W. & Y. Oak.

- Wob On South Boundary of Sec 34.
15. 29 A W. Oak 15 in. diam.
10. 30 An Indian Trail. S by E.
42. 00 Set a gr. Sec. post from which
a W. Oak 10 in. diam. bears N 80 E 57 links dist. &
a Do 10 " " " N 70 W 10 " "
47. 00 Small Marsh
52. 00 Leave same
50. 56 A W. Oak 9 in. diam.
64. 55 A W. Oak 10 " "
79. 00 An Indian Trail. Course South.
80. 00 Set a Post Corner to Sec. 33. & 34 from which
a W. Oak 17 in. diam. bears N 41 E 31 links dist. &
a Do 14 " " " N 72 W 12 " "
Land East of Marsh level. West of Do Rolling Barrens
good soil well timbered with W. & Y. Oak.

- Wob On South Boundary of Sec 33.
32. 23 A W. Oak 10 in. diam.
40. 00 Set a gr. Sec. post from which
a Y. Oak 18 in. diam. bears N 37 E 50 links dist. &
a Do 17 " " " N 68 W 23 " "
60. 00 Marsh
69. 00 Leave same. On a small Ridge from the Marsh.
70. 00 To Marsh
74. 50 Leave same.
75. 99 A W. Oak 10 in. diam.
80. 00 Set a Post Corner to Sec. 32 & 33 from which
a W. Oak 20 in. diam. bears N 68 1/4 E 14 1/4 links dist.
a Do 30 " " " N 20 W 6 3/4 " "
Land & similar. Rolling.

T33 N. R. 6. E 2nd Mer. Indiana

41

- West On South Boundary of Sec 32,
 15.50 An Indian Trail. Course S.E.
 28.50 Do " " South
 29.00 To Marsh
 45.00 Set a qv. the post on the N.E. Corner of a Marshy
 Sluggish Stream 1.00 links wide. Course N.W.
 from which
 a Willow 7 in. diam. bears S 87 $\frac{2}{3}$ E 6.05 links dist 8
 a W. Oak 14 " " " S 2 E 5.11 " "
 48.00 A Stream 75 links wide. Course S.W.
 52.00 Same 50. " " " N.W.
 61.00 Same " " " S.W.
 85.00 Set a Post Corner to Sec. 31 & 33 from which
 a W. Oak 10 in. diam. bears N. 44 $\frac{1}{2}$ E. 5.59 links dist 8
 a Do 17 " " " West 14.06 " "
 Upland similar. Thinly timbered.

- West On South Boundary of Sec 31
 8.75 To Tippecanoe River 50 links South. Very murey
 and about 4 feet deep. Brisk Current.
 14.00 Leave Marsh. Wet & murey, a prodigious growth
 of Grass.
 24.28 Intersect E. Boundary of Chickasaw's Reserve.
 29.30 links South of the N.E. Corner, where
 a W. Oak 18 in. diam. bears N 42. E 79 links dist 8
 a Do 13 " " " S 77 E 39 " "
 36.20 An Indian Trail. Course South.
 40.00 Set a qv. the post from which
 a W. Oak 15 in. diam. bears N 25 $\frac{1}{2}$ E 48 links dist 8
 a Do 16 " " " N 13 $\frac{1}{2}$ W 52 " "
 42.00 Marsh.
 65.00 Leave same
 70.07 A W. Oak 16 in. diam.
 84.31 Intersect the West Boundary at the End of 5 miles
 70 chains & 4 links. Set a Post Corner to Sections
 1.6. 31. & 36. Towns 32 & 36 N. R. 6 E. from which

T33. A. B. & E. 3rd Mer. Indiana.

a W. Oak 14 in. diam. bears S 8 W 102 links disto &
 a Do 11 " " " N 57 W 119 " "
 Land & similar. well timbered. except in Marsh.
 Var. S 67 E.

East Boundary.

- South On East Boundary of Sec 1.
 2. 57 An Indian Trail. Course N E.
 4. 14 A 45 Ash 12 in. diam.
 31. 87 Set a gr. the post from which
 a Poplar 14 in. diam. bears N 58 W 79 links disto &
 a W Oak 24 " " " S 10 W 10 " "
 34. 04 A 43 Oak 30 " "
 62. 33 Tippecanoe Lake. Dry high shore. Set Post.
 Shore bears from S E. to S W. A Sp. Oak 10 in.
 diam. is Corner.
 Tippecanoe River runs through this Lake.
 71. 87 Corner to Sec. 1 & 12 in Lake.
 Land high & rolling. good soil. Timber mostly
 destroyed by fire. Timber. Oak. Buck. Linn. Ash
 &c. Undergrowth. Vines. Saplings. Briars. &c.

- South On East Boundary of Sec 12.
 36. 05 Leave Lake. high bold shore. Set a Post from which
 an Elm 14 in. diam. bears S 12 E 5 links disto &
 a Do 11 " " " S 16 W 19 " "
 There N W.
 46. 00 Set a gr. the post from which
 an Ironwood 12 in. diam. bears S 9 W 68 links disto &
 a W Oak 15 " " " N 51 W 29 " "
 49. 36 A W Oak 15 " "
 61. 00 Enter Barrens
 80. 00 Set Post Corner to Sec. 12 & 13 from which
 a Y. Oak 15 in. diam. bears N 47 W 142 links disto &
 a Do 12 " " " S 6 W 94 " "
 A Small Lake about 50. West of Corner.

T33 N. R. O. E 2nd Mer. Indiana.

43

Land North of Barrens high. soil rich. Well
timbered with Poplar. Oak & Ash & Undergrowth
vines &c.

South On East Boundary of Sec 13

1. 34 A. G. Oak 13 in. diam.

24. 80 To Marsh

32. 50 Leave Do

37 44 A W Oak 30 in. diam.

40. 00 Set a gr. the post from which
a G Oak 20 in. diam. bears N 00 W 1.23 links dist &
a W Oak 17 " " " S 67 1/2 W 1.87 " "

45. 00 An Indian Trail Course East.

58. 00 Indian trail from Musgrave's to St. Wayne S.E.

61. 00 Set a Post Corner to Sec. 13 & 24 from which
a W. Oak 18 in. diam. bears N 35 1/2 W 1.14 links dist &
a Do 18 " " " S 55 1/2 W 0.11 " "

Land Rolling Barrens. thin soil sandy. thinly
timbered with W & G Oak.

South On East Boundary of Sec 34

36 20 A W. Oak 9 in. diam.

45. 00 Set a gr. the post from which

a W Oak 10 in. diam. bears N 08 W 72 links dist &
a Do 15 " " " S 69 1/2 W 0.81 " "

46. 00 Enter Marsh & Leave Barrens

51. 50 Leave Do & Enter Rolling rich woods.

63. 99 A W Ash 8 in. diam.

80. 00 Set a Post Corner to Sec. 24 & 25 from which
a Sugar 28 in. diam. bears N 40 W 40 links dist &
a W. Walnut 18 in. " " S 39 W 0.4 " "

North of Marsh. Land &c. similar. South of Do
Rolling 1st rate Timber. Sugar Ash. Walnut
Poplar. Birch &c.

South On East Boundary of Sec 25.

T 33. N. R. O. E 2nd Mer. Indiana

- 17.73 A W. Ash 10 in. diam.
 22.70 A Poplar 30. " "
 24.00 Millon & Rose Swamp.
 35.00 Same Same.
 40.00 Set a gr. Sec. post. from which
 a Sp. Oak 19 in. diam. bears N 110 E W 82 links dist.
 & a B Oak 10 " " " S 57 W 44 " "
 44.50 Millon & Rose Swamp
 57.50 Same Do
 64.14 A Lynn 7 in. diam.
 78.20 A Sugar 18 " "
 80.00 Set a Post-Corner to Sec. 25 & 36 from which
 a W. Walnut 14 in. diam. bears N 41 W. 44 links dist.
 a W. Ash 8 " " " S 85 W 19 " "
 Sand Rolling & 1st rate. Timber. Ash. Sugar. Walnut.
 Buck. Poplar. Lynn. Elm &c &c. Undergth & pice &c.

South On East Boundary of Sec 30

- 20.00 An Indian Trail. Course S. E. E.
 20.05 A Lynn 28 in. diam.
 40.00 Set a gr. Sec. post from which
 a Buck 12 in. diam. bears S 50 W 27 links dist. &
 a Do 10 " " " N 65 E W 28 " "
 42.55 A Chinkapin Oak 30 in. diam.
 77.00 To Marsh.
 80.00 Town Corner. Var 6th 07' E
 Sand &c similar.
 September 7th 1833. Rained all day.

North Boundary

- N 26 On South Boundary of Sec 30 & 34 N. R. O. E.
 1. 18 Sp. Oak 0 in. diam.
 20.00 An R Oak 19 " "
 40.00 Set a gr. Sec. post from which
 a W. Oak 24 in. diam. bears N 38 E 20 links dist. &
 an R Oak 21 " " " N 30 W 44 " "

13.50 Enter Marsh

52.00 Leave Do.

74.02 A W. Ash 13 in. diam.

61.75 An Indian Trail. Course South

84.00 Set a Post Corner to Sec. 35 & 36 from which
a Buck 15 in. diam. bears N 45 $\frac{1}{2}$ E 22 links dist. &
a Sugar 8 " " " N 48 $\frac{1}{2}$ W 08 " "
Tim. 00-00 Land Rolling. & mostly a good soil. Thinly
timbered with Oak Elm &c. Very Brushy. Last 2000
rich. Timber Walnut. Buck. & Sugar.

456 On South Boundary of Sec 35 T 34 N. R. O. E.

5.05 A Sugar 10 in. diam.

22.25 An Indian Trail. Course South.

45.00 Set a q. Sec post from which
a Maple 14 in. diam. bears N 49 $\frac{1}{2}$ E 23 links dist. &
a Do 17 " " " N 88 $\frac{1}{2}$ W 43 " "

71.79 A W. Oak 48 in. diam.

80.00 Set a Post Corner to Sec. 34 & 35 from which
a Blue Ash 10 in. diam. bears N 40 $\frac{1}{4}$ W 31 links dist. &
a Sugar 10 " " " N 31 $\frac{1}{2}$ E 49 " "
Land level. mostly a 1st rate soil. Timber. Buck.
Ash. Oak. Lymn. Walnut. Elm &c. Undergrowth. Spice
Paw-paw. & P. Ash. In places, low & wet.

West On South Boundary of Sec 34 T 34 N. R. O. E.

30.85 A Buck 29 in. diam.

40.00 Set a q. Sec post from which
a Buck 18 in. diam. bears N 48 E 53 $\frac{1}{2}$ links dist. &
a Sugar 8 " " " N 87 $\frac{1}{4}$ W 33 " "

49.14 A Buck 9 " "

08.75 An Indian Trail. Course South

75.94 At W. Corner of Mesquabucks Reserve South 37 70

80.00 Set a Post Corner to Sec. 33 & 34 from which
a Buck 19 in. diam. bears N 48 $\frac{1}{2}$ E 37 links dist. &
a Lymn 14 " " " N 28 $\frac{1}{2}$ W 05 " "

T 33 N. R 6 E 2nd Mer. Indiana

Land &c similar. Soil 2nd rate

- West On South Boundary of the 33. T 34 N. R 6 E.
 15. 01 A W Oak 10 in. diam.
 30. 50 Turkey Creek Prairie
 40. 00 Set a gr. the post from which
 an Aspen 19 in. diam. bears N 88 3/4 E 4. 53 links dist.
 and raised a Mound.
 50. 00 Set a Post Corner to Sec. 32 & 33 from which
 where raised a Mound in Prairie
 to Prairie. Land rolling well timbered, rich soil.
 Timber, Elm, Walnut, Sugar, &c. Prairie gently rolling
 and soil rich.

- West On South Boundary of the 32. T 34 N. R 6 E.
 27 50 Leave dry Prairie & Enter Marsh
 40. 00 Set a gr. the post where raised a Mound.
 50. 00 Set a Post Corner to Sec. 31 & 32, in Mound in
 wet Prairie.
 Dry Prairie similar to that on last mile.
 Marsh a fine mowing meadow.

- West On South Boundary of the 31. T 34 N. R 6 E.
 40. 00 Set a gr. the post where raise a Mound.
 50 70 Set a Post Corner to Town 34 N. Range 5 & 6 E.
 Raised a Mound.
 a W Ash 14 in. diam. bears N 89 W 0. 9 links dist. &
 an Elm 15 " " " N 27 E 1. 98 " "
 Land all wet Prairie Var. 6. 00 E.

West Boundary.

- South On East Boundary of the 1 T 33 N. R 5 E.
 14 50 Leave Marsh
 17 53 A W Oak 10 in. diam.
 30 04 Set a gr. the post from which
 a W Oak 28 in. diam. bears N 28 W 54 links dist. &

T 33 N. R 5 E. 2nd Mer. Indiana.

47

37 53 a W. Oak 13 in. diam. bears S 55 W 78 links dist. &
a Y. Oak 11 " " and Enter Hazel. Thorn and
Plumb. Whickets

45 00 Leave Whicket & Enter dry rich Prairie

70. 04 Set a Post Corner to Sec. 1. & 12. where raised a
Mound.

North of Prairie Land level & 2nd rate Timber
W. & Y. Oak. Lynn. Elm. Ash. &c. Prairie level 1st rate.

South - On East Boundary of Sec 12 T 33. N. R 5 E.

110. 00 Set a q. Sec. post where raised a Mound.

50. 00 Set a Post Corner to Sec. 12. & 13. where raise a Mound.

Land level & 1st rate. rich dry Prairie

South On East Boundary of Sec 13 T 33. N. R 5 E.

23. 50 Leave Prairie

29. 43 Lynn 10 in. diam.

40. 00 Set a q. Sec. post from which

a Buckeye 8 in. diam. bears S 45 W 30 links dist. &

a Do 7 " " " N 85 W 9 " "

02 03 An R Oak 15 in. diam.

04 33 North Boundary of Mingo & Kin Kash's Reserve

20. 03 links East of the N.W. Corner from which

an Ironwood 9 in. diam. bears N 71 E 25 links dist. &

a Do 12 " " " S 34 1/2 E 30 " "

a Buck 13 " " " N 25 1/2 W 32 " "

50. 00 Set a Post Corner to Sec. 13 & 24 from which

a Buck 9 in. diam. bears S 42 W 37 links dist. &

a Sugar 14 " " " N 30 W 4 " "

Prairie same Woodland Rolling 1st rate. Timber

Sugar. Blue Ash. Lynn. Buck. Elm. some

Oak. Walnut. &c. Underg. Pan-paw. Spice.

South On East Boundary of Sec. 24

12. 03 A Blue Ash 10 in. diam.

27 48 A Buck 18 " "

T 33 N. R 6 E. Ina Mer. Indiana

- 40.00 Set a gr. Sec post from which
 a Blue Ash 14 in. diam. bears S 84° W 44 links dist. &
 a Hickory 7 " " " S 28° W 25 " "
- 40.50 A Trail. Course West.
- 55.80 A B. Oak 40 in. diam.
- 69.14 A B. Walnut 48 in. "
- 80.00 Set a Post Corner to Sec? 24 & 25 from which
 a Buck 16 in. diam. bears S 51° W 54 links dist. &
 an R Elm 16 " " " S 67° W 19 " "
 Land &c similar to Timbered part of Last mile.

- South On East Boundary of Sec 25 T 25 N. R 5 E
- 27.05 Buck 20 in. diam.
- 34.15 An Indian Trail W. 3 W
- 40.00 Set a gr. Sec post from which
 a B. Oak 28 in. diam. bears S 10° W 18 links dist. &
 a Sugar 28 " " " S 49° W 54 " "
- 40.99 A Buck 16 " "
- 67.80 A Do 18 " "
- 80.00 Set a Post Corner to Sec? 25 & 30 from which
 a Buck 24 in. diam. bears S 11° W 45 links dist. &
 a Blue Buck 8 " " " S 51° W 18 " "
 Land &c similar.

- South On East Boundary of Sec 30 T 33 N. R 5 E.
- 10.72 An Ironwood 9 in. diam.
- 12.50 Willow & Rose Swamp
- 20.00 Leave " "
- 40.00 Set a gr. Sec post from which
 a Sp. Oak 14 in. diam. bears S 42° W 15 links dist. &
 an Elm 11 " " " S 69° W 28 " "
- 50.00 Enter Barrens
- 64.00 To Marsh
- 72.50 Leave Do
- 73.34 An Indian Trail Course 3 W
- 76.74 A W. Oak 16 in. diam.

T33 N. R. S. E 2nd Mer. Indiana

49

50. 00 Town Corner

North of Barrens. Land &c similar. Some broken
Barrens. Rolling sandy soil. Timber. W. & Y. Oak.
Var. S. 10' E

Oct 9th 1838. Clear.

Surveyed by
Robert C. Clark. Jan. 25th

Subdivisions.

North Wellman Sec. 35 & 36. June 26th 1831.

11. 25 A Run 8 links wide. Course West

14. 10 A Poplar 24 in. diam.

16 40 A Brook 6 links wide. Course West

40 00 Set a q. the post from which

a W. Oak 28 in. diam. bears N 23 1/4 W 8 links dist. 8

a Butternut 10 in. " " S 28 E 34 " "

45. 92 A Brook 4 links wide. Course West

75 10 A Do 4 " " " "

50 00 Set a Post Corner to Sec. 25 26. 35 & 36 from which

a Buck 12 in. diam. bears N 89 W. 27 1/2 links dist. 8

a Do 10 " " " S 71 E. 38 " "

Land broken & 2nd rate. Timber. Poplar. Oak. Ash,
Buck. Spice. Ironwood &c.

East On Random between Sec. 25 & 30.

50. 00 Intersected N & S. line 55 links North of the Post

Note Corrected between Sec. 25 & 30.

3. 12 A W. Walnut 1/8 in. diam.

25. 08 A W. Ash 8 in. diam.

40. 33 Set a q. the post at aver. dist. from which

a Buck 7 in. diam. bears N. 2 W. 23 links dist. 8

a W. Ash 7 in. " " S 54 W 18 1/2 " "

52 00 A Lynn 12 " "

55 97 An Ironwood 6 in. diam.

50. 00 To the Corner.

Land &c same as last mile.

T 33 N. R. 6 E 2nd Mer. Indiana

- North Between Sec. 25 & 26
 10.83 Intersect the South side of Lake and set a Post
 from which
 an Elm 12 in. diam. bears S 57 $\frac{1}{2}$ E 39 links dist. &
 a Sycamore 18 " " " S 61 $\frac{1}{4}$ W. 30 $\frac{1}{2}$ " "
 40.00 Gr. Sec. Corner in Lake
 80.00 Corner to Sec. 23. 24. 25 & 26 in Lake.
 Land the same as last mile.

- West On True line between Sec. 24 & 25
 0.28 A Brook 4 links wide. Course North.
 10.89 An Ironwood 10 in. diam.
 15.25 A W. Ash 30 " "
 40.33 Set a gr. sec post from which
 a Buck 20 in. diam. bears N 28 E 39 links dist. &
 a Do. 24 " " " S 35 W 17 " "
 48.28 A Sassafras 12 in. diam.
 65.39 Intersect the East side of Lake. & Set a Post from which
 a W. Oak 24 in. diam. bears N 61 $\frac{1}{2}$ E 88 links dist. &
 a Hickory 15 " " " S 63 $\frac{3}{4}$ E 152 " "
 Land the same as last mile June 17th.

- North Between Sec. 23 & 24
 10.39 Over Lake & Set a Post. & Raised Mound.
 25.00 Leave the Marsh
 40.00 Set a gr sec post from which
 a W. Oak 18 in. diam. bears N 62 $\frac{1}{2}$ W 19 links dist.
 & a Do 12 " " " S 50 E 27 " "
 40.03 A W. Oak 20 " "
 80.00 Set a Post Corner to Sec. 13. 14. 23. & 24 from which
 a W. Oak 24 in. diam. bears S 1 $\frac{1}{2}$ W. 115 $\frac{1}{2}$ links dist.
 & a Do 24 " " " N 23 $\frac{3}{4}$ W. 254 " "
 Land Rolling & 3rd rate. Timber. W. & W. Oak.

- East On Random between Sec. 13 & 24
 81.04 Intersect East Boundary at Post.

- West Corrected between Sec. 13 & 24
 22.37 A W. Oak 18 in. diam.
 40.52 Set a q. Sec post at aver. dist. from which
 a W. Oak 18 in. diam. bears N 33° E 62 links dist. &
 a Do 18 " " " S 10° W 20 " "
 54.47 A W. Oak 20 " "
 81.04 To Section Corner.
 Land & Timber same as last mile

- North Between Sec. 13 & 14
 7.27 A W. Oak 20 in. diam.
 20.79 A Do 20 " "
 34.14 Intersect Mesquabucks Reservation & Set a Post
 from which
 a B. Oak 18 in. diam. bears S 67½° W. 114 links dist. &
 a Do 20 " " " S 20° E 1.50 " "
 Measured East along said line 505 links to the
 End thereof.
 Land &c same as last mile.

- West On True line. Between Sec. 12 & 13
 0.34 To the E. Bank of Lake & Set a Post from which
 a B. Oak 12 in. diam. bears S 20½° E 1.35 links dist. &
 a Do 30 " " " N 50½° E 80 " "
 23.82 Over Lake & Set a Post from which
 a B. Oak 20 in. diam. bears S 73° W. 2.20 lks dist. &
 a Do 24 " " " S 57½° W. 2.10 " "
 40.52 Set q. Sec post on true line. from which
 a W. Oak 12 in. diam. bears S 65½° E. 0.3 lks dist. &
 a Do 20 " " " N 54° E 42 " "
 75.00 Intersect East line of Mesquabucks Reserve
 and set a Post from which
 a W. Oak 20 in. diam. bears S 69½° E 1.01 links dist. &
 a Do 18 " " " N 53½° E 1.58 " "
 Land Rolling & rate. Timber. B & W. Oak.
 Hickory. &c. Many Hickory and Oak.

T33 N. P. R. E. 2nd Mer. Indiana.

Measured South 115.33 to the End thereof.
June 21st 1834

West Between Sec^s 1. 112.
148.11 Over Lake & Set a Post from which
a Maple 12 in. diam. bears N 16° W 17 $\frac{1}{2}$ links dist
& a Do 10 " " " S 26° W 15 links dist
49.00 A Brook 4 links wide. Course S E.
57.50 Leave Swamp.
75.03 Intersect East line of Musquabuck Reservation
and set a Post from which
a Poplar 20 in. diam. bears S 22 $\frac{1}{2}$ ° W 15 links dist &
a W. Oak 26 " " " N 11 E 71 $\frac{1}{2}$ " "
Measured North along said line 34.50 To the end
thereof. — Land Broken & 3rd rate, Timber.
W. & B. Oak. Huckle. Sapafrae &c.

North Between Sec^s 34 & 35
8.00 Enter Marsh.
40.00 Set a gr. Sec post. from which
a W. Oak 20 in. diam. bears N 8° W 137 links dist &
a Do 18 " " " N 5 E 1.50 " "
41.65 A Burr Oak 18 in. diam. & Leave Marsh.
60.00 Enter Marsh.
80.00 Set a Post Corner to Sec^s 20. 27. 34 & 35 from which
a W. Oak 24 in. diam. bears N 81 $\frac{1}{2}$ ° W 510 links dist &
a B. Oak 24 " " " S 64 $\frac{1}{2}$ ° W 19 " "
Land Rolling & 3rd rate, Timber W. & B. Oak.

East On Random between Sec^s 20 & 35
1. 18 Intersect the West side of Lake William
15.98 Over Lake
30.17 To Lake.
42.50 Over Lake
79.00 Intersect at N & S line at Post.

T 33. N. R. & E 2nd Mer. Indiana

53

Note Corrected between Sec. 26 & 35.

1. 53 An R Oak 18 in. diam.

20 00 Enter Willow Swamp

30. 50 To East side of Lake William & set a Post from which
a Maple 20 in. diam. bears N 27 E. 2.45 links dist. &
a Burr Oak 18 in. " " N 59 E 2.85 " "

45. 83 Over Lake & set a Post from which

a B. Oak 20 in. diam. bears N 53 E. W 8. 83 links dist.

No other tree near.

63. 02 To Lake & set a Post from which

a B. Oak 20 in. diam. bears N 62 E 6. 38 links dist.

77. 83 Set a Post from which

a B. Oak 24 in. diam. bears S 68 W 6. 35 links dist. &

a W. Oak 24 " " " N 84 W 6. 34 " "

79. 01 1/2 Sec. Corner

Land East of the Lake 2nd rate. Rolling. Poplar. Oak,
Ash. Spice. &c.

North Between Sec. 26 & 27.

4. 02 Intersect South side of Lake William & set a Post
from which

a W. Oak 20 in. diam. bears S 73 W 5. 63 links dist.

& a Hickory 18 " " " N 63 1/4 W 4. 70 " "

32. 58 Over Lake & set a Post from which

a W. Oak 12 in. diam. bears N 69 E. 2. 46 links dist.

& a Do 18 " " " N 57 E 1. 90 " "

40. 00 Set a gr. Sec. Post from which

a W. Oak 12 in. diam. bears S 8 E 72 links dist. &

a Do 18 " " " N 74 W 23 1/2 " "

45. 00 To Marsh.

60. 00 Leave Same

80. 00 Set a Post Corner to Sec. 22. 23. 26 & 27 from which

a W. Oak 15 in. diam. bears N 87 E 38 links dist. &

a Do 12 " " " S 62 W 68 " "

Land Rolling & 3rd rate. Timber. W. & B. Oak
Hickory. &c.

Tob N. P. O. E 3rd Mer. Indiana

East On True line between Sec. 23 & 26.

22.45 A B Oak 10 in. diam.

40.00 Set a gr. Sec post from which

a W. Oak 26 in. diam. bears S 26° W 72 links dist &

a G 12 " " " N 74 E 46 " "

88.00 Enter Marsh

74.44 Intersect West side of Lake William. and set a Post. from which

a B. Oak 20 in. diam. bears N 51° W 464 links dist &

a W. Oak - " " " N 72 W 544 " "

Land the same as last mile. June 18th 1834

North Between Sec. 22 & 23.

5.53 A Trail. Course N E

40.00 Set a gr. Sec post from which

a Burr Oak 18 in. diam. bears N 36° W 352 links dist &

a G 10 " " " S 87 W 107 " "

77.15 A W. Oak 15 " "

80.00 Set a Post Corner to Sec. 14 & 15. 22 & 23 from which

an Elm 12 in. diam. bears N 42° W 17 links dist &

an B. Oak 20 in. " " N 59 E 26 " "

Land. Serrel 2nd rate. Timber, Burr & B Oak.
Hickory. Maple. &c.

East On Random between Sec. 14 & 23

43.70 A Trail. Course N E.

79.74 Intersect N & S. line 75 links south of the Post.

Land same.

Note Connected between Sec. 14 & 15.

10.55 A B Oak 8 in. diam.

39.87 Set a gr. Sec post at aver. dist. from which

a W. Oak 20 in. diam. bears S 44 E 98 links dist &

a G 24 " " " N 91 W 60 " "

79.74 To Sec Corner.

Land the same as last mile

North Between Secs 14 & 15.

11. 53 A Burr Oak 20 in. diam.

24. 20 A Spruce 18

24. 00 To Tippecanoe River 70 links wide. Course S.E.

25. 90 A Trail. Course N.E.

32 59 Intersect the South line of Musquauck's Reserve

& set a Post from which

a W. Oak 18 in. diam. bears S. 29 W 14 links dist. &

a Gr. 18 " " " S 112 E. 27 " "

Measured West along said line 74.44 to the end thereof

North Between Secs 32 & 33

5. 50 To Marsh

28 00 Leave Marsh and Hunkish's

29 34 Intersect the South line of Menoquin's Reserve &

set a Post from which

a W. Oak 20 in. diam. bears S 42 W 47 1/2 links dist. &

a Gr. 24 " " " S 25 E 117 " "

Measured East along said line 3570 links to the end thereof

Land 3/4 rate. Rolling Timber. W. & B. Oak.

North Between Secs 31 & 32 in Marsh

11. 27 Intersect Tippecanoe River 50 links wide. C.S. W

17. 75 Leave the Marsh

18. 73 A W. Oak 12 in. diam.

28. 00 To Tippecanoe River 75 links wide. C.S. S.E.

29 28 Intersect South line of Menoquin's & Hunkish's Reservation where a Blue Ash 20 in. diam. is corner.

Land 1/2 except swamp same

North Between Secs 33 & 34

23 00 To Marsh

32 00 Leave same

40.00 Set a gr. the Post. from which

T33. N. P. O. E 2nd Mer. Indiana.

- a W. Oak 18 in. diam. bears N 64 $\frac{3}{4}$ W 36 links dist &
 a Do 20 " " " N 73 $\frac{1}{2}$ E 26 " "
 41.38 An R. Oak 20 in. diam.
 70.41 A W. Oak 12 " "
 80.00 Set a Post Corner to Sec. 27, 28, 33 & 34 from which
 a W. Oak 18 in. diam. bears N 67 E 113 links dist &
 a Do 30 " " " S 67 W 130 " "
 Land &c same as last mile.

East On Random between Sec. 27 & 34.

51.80 A Trail. from N. to S.

76.00 Enter Marsh

81.00 Intersect N & S line 19 links South of the Post.

West Connected between Sec. 27 & 34.

14.33 A W. Oak 18 in. diam.

40.50 Set a gr. The Post at aver. dist. from which
 a W. Oak 20 in. diam. bears N 54 $\frac{1}{2}$ E 23 links dist &
 a Do 26 " " " S 75 $\frac{1}{2}$ W 100 " "

81.00 To Sec. Corner

Land &c same as last mile.

West On True line between Sec. 28 & 33.

15.00 To Marsh

30.00 Leave same

40.00 Set a gr. the Post from which
 a W. Oak 20 in. diam. bears S 53 W 13 links dist &
 a Do 18 " " " N 84 W 77 " "

44.27 Intersect East line of Misquits & Hinckley's Reserve
 (Indian) Set a Post from which
 a W. Oak 26 in. diam. bears N 50 $\frac{1}{2}$ E 16 links dist &
 a Do 18 " " " S 58 $\frac{1}{2}$ E 33 " "
 Measured South along said line 58.56 to the
 end thereof.

Land &c same as last mile.

T³³ N. R. 6. E 2nd Mer. Indiana.

57

North Between Sec^s 27 & 28.

19.78 A W Oak 18 in. diam.

40.00 Set a gr. the post from which
a W Oak 24 in. diam. bears N 81 $\frac{1}{2}$ W 135 links dist. &
a Do 20 " " " N 71 $\frac{1}{2}$ E 62 " "

49.49 A W Oak 16 " "

71.00 A W Oak 18 " "

50.10 Set a Post Corner to Sec^s 21. 22. 27 & 28 from which
a W Oak 10 in. diam. bears S 84 $\frac{3}{4}$ W. 14 links dist. &
a Do 11 " " " N 83 $\frac{3}{4}$ E 32 " "
Land Rolling & 3rd rate Timber W. & B. Oak.

East On Random between Sec^s 22 & 27.

65.89 A Trail from North to South

77.03 A Trail. Course N E.

80.12 Intersect N & S line 9 links South of the Post.

West Corrected between Sec^s 22 & 27.

37.09 A Hickory 10 in. diam.

40.00 Set a gr. the post at aver. dist. from which
a Burr Oak 12 in. diam. bears S 39 E 54 links dist. &
a Do " 12 " " " N 11 W 63 $\frac{1}{2}$ " "

50.12 To the Corner.

Land the same as last mile

West Between Sec^s 21 & 26.

5.110 A B Oak 22 in. diam.

18.00 To Marsh 200 links wide.

29.40 A W Oak 26 in. diam.

30.50 Marsh 4 chains wide.

40.00 Set a gr. the post from which
a W Oak 26 in. diam. bears N 78 W 93 links dist. &
a Do 24 " " " S 9 W 82 " "

44.72 Intersect East line of Menoquits & Linkush's Reserve
& set a Post from which
a W Oak 18 in. diam. bears S 34 E 182 links dist. &

T 33. N. R. O. E 2nd Mer. Indiana

N. Oak 20 in. diam. bears East 2.27 links dist.
Land &c same.

North Between Sec. 21 & 22.

27 48 N. W. Oak 20 in. diam.

30.00 To Marsh

To Tippicanoe River 50 links wide. Course S 77

40.00 To Sec. Corner in River. inaccessible.

47 00 Leave the Marsh

66 00 A Nail N. E.

71.44 N. W. Oak 18 in. diam.

80.00 Set a Post Corner to Sec. 15 16. 21 & 22 from which
a W. Oak 12 in. diam. bears N 19 E 47 links dist. &
a B. O. 12 " " " S 24 W 59 " "
Land &c same as last mile.

East On Random between Sec. 15 & 22.

11 15 A Nail E. N E

33 54 To Tippicanoe River 50 links wide. Course S E.
Over the River in Marsh.

39.05 To Tippicanoe River 50 links wide. Course S W.

42.50 Leave the River on the same side.

57.80 To Tippicanoe River. 50 links wide. N W.

61.75 Leave same 50 links wide Course South.

70.00 Leave the Marsh

79.80 Intersect A & S line 20 links South of the Post.

West Connected between Sec. 15 & 22.

39.93 Set a post at over dist. from which
a Millen 3 in. diam. bears N 38 E 19 links dist. &
an Elm 20 " " " N 83 W " "

54.99 N. W. Oak 20 in. diam.

79.80 To Section Corner.

Land &c same as last mile.

West Between Sec. 16 & 21.

T33. N. R. 6. E 2nd Mer Indiana

59

13. 24 A W. Oak 20 in. diam.
 31. 00 To Marsh
 40. 00 Set a gr Sec post in Marsh. from which
 a W. Oak 15 in. diam. bears S 59 $\frac{1}{2}$ W. 738 links dist. &
 a Do 20 " " " S 57 $\frac{1}{4}$ W. 838 " "
 44. 90 Intersect East line of Minoguis & Kinkish's Reserve
 and set a Post from which
 a W. Oak 12 in. diam. bears S 45 $\frac{1}{2}$ W. 474 links dist. &
 a Do 20 " " " S 21 $\frac{1}{2}$ W. 458 " "
 Measured North along said line 15 45 to the N E Corner
 thereof. Land the same.

- North Between Secs 15 & 16
 25. 49 A W. Oak 12 in. diam.
 40. 00 Set a gr Sec post from which
 a W. Oak 20 in. diam. bears S 66 W 23 links dist. &
 a Do 20 " " " S 63 $\frac{3}{4}$ E 33 " "
 47. 21 An R Oak 26 in. diam.
 70. 00 To Swamp.
 75. 00 Leave same.
 80. 00 Set a Post Corner to Sec. 9. 10. 15 & 16 from which
 a W. Oak 20 in. diam. bears N 74 E 5 links dist. &
 an Elm 24 " " " S 25 W 30 $\frac{1}{2}$ " "
 Land. South p same North p 2nd rate. Rolling
 Timber. W. & R Oak. Elm. Ash. Sycamores. Hazle &c

- East On True line between Secs ~~9 & 10~~ 10 & 15
 5. 14 A W. Oak 12 in. diam.
 5. 25 Intersect West line of Mesquabucks Indian Reserve
 and set a Post from which
 a W. Oak 12 in. diam. bears S 80 W 16 $\frac{1}{2}$ links dist. &
 a Do 20 " " " N 33 $\frac{1}{2}$ W 39 " "
 Measured South along said line 48 27 to the
 End thereof.
 Land level & 2nd rate. Timber. W. Oak

Feb 11. P. O. E. Ind. Mr. Indiana

Ninth Between Dec? 9 410

2. of To Marsh

10.19 A.W. Oak 12 in. diam. & Leave the Marsh

10.35 A Mail. from E to West.

40.00 Set a gr. ¹/₂ Sec put from which

a W. Oak 24 in. diam. bears 180 $\frac{3}{4}$ M133 links dia. &

a Hickory 8 " " " N 50 E 40 1/2 " "

5250 Road to Turkey Creek Prairie. N.M.

71. 68 A Buckeye 8 in. diam.

80 17 Set a Post Corner to Ck. 3. 4. 9. 810 from which

a. B. Walnut 12 in. diam. bears 179 & 23 lbs. dry &

a Buckeye 8 " " " A 25 N 37 " "

Land South of same. North to part 1st & part 2nd note.

Chimley, Sugar. Walnut Ash. Spice &c. &c.

East On true line between Sec. 3. & 10.

4. go Intersect West line of Mesquabucke Reservation
and set a Post from which

a Buck 30 ins diam. bears 90 W 37 links dist of

a. D. 12 " " " " A 724 M 34 " " "

Measured North along said line 31.97 to the
end thereof.

Land the same as last mile.

North Betman Dec. 3 & 4

8. 21. A Truckerry 18 in. diam.

34 24 A Sugar 24 " "

40.00 Oct a qd the post from which

a No. Ash 10 in. diam. bears 28 1/2 links dist.

8a Sugar 20 " " " St 85 1/2 E 17 1/2 " "

0800 Road to Turkey Creek Prairie N.W.

89.74 Intersect North Boundary 54 links West of the Post
and set a Post from which

✓ Buckeye 9 in. diam. bears 148 1/2 W. 46 links dis. ✓

a Synn 9 " " " " S 35 E 42 . "

Land level & 1st rate. Timber: Sugar. Walnut. Oak.

61

T. B. N. R. O. & 2nd Mer. Indiana.

Ash. Lynn. &c. Underg. & Spicer. Pan-pun. &c.
June 23. 1834.

South Between Sec. 2 & 3.

A W Ash 18 in. diam. bears S 12 W 24 links dist
& a Blue Ash 12 " " " S 81 1/4 E 38 " "

12. 23 A Sugar 18 in. diam.

10. 44 A Trail from N W. to S E.

21. 97 A Sugar 28 in. diam.

29. 74 Set a q. &c post from which a
Sugar 24 in. diam. bears S 15 W 14 links dist & a
Butternut 12 " " " N 71 1/2 E 31 1/2 " "

37. 50 Intersect the North line of Musquabuck's Indian
Reservation, and set a Post from which
a Sugar 24 in. diam. bears N 39 W 8 1/2 links dist &
a G. 24 " " " N 13 1/4 E 40 " "
Measured West along said line 75 1/3 to the end
there of.

South Between Sec. 1 & 2.

From Post in the North Boundary
a W Ash 18 in. diam. bears S 51 1/2 W 58 links dist &
an Ironwood 7 in. " " S 61 E 44 " "

6. 60 A Sugar 20 in. diam.

26. 08 A G. 18 " "

29. 74 Set a q. &c post from which
a Buck 18 in. diam. bears S 82 1/4 W 25 links dist &
a Hickory 10 " " " N 64 E 17 1/2 " "

37. 23 Intersect the North line of Musquabuck's Indian
Reservation, and set a Post from which
a B. Walnut 18 in. diam. bears N 41 W 40 links dist
& a H. Oak 26 " " " N 40 1/4 E 107 " "
Measured East along 493 to the end there of.

June 24. 1834

What Ranges from Corner of Sec. 9. 10 15 & 16.
for the Corner on Range line. Between Sec. 9 & 10.

15 43 A Brook 10 links wide. Course S E.

T. B. N. P. O. & L. Indiana

14. 00 To Marsh
 25. 00 Leave same.
 32. 50 Enter Marsh
 52. 38 A Trail from N. to South & Leave Marsh
 64. 50 To Marsh 9. 00 wide
 72. 50 To Marsh 7. 00
 Thence Continued between Sec. 8 & 17.
 12. 30 A Trail. Course N. W.
 33. 83 A Trail from N to S.
 35. 00 Enter Turkey Creek Prairie
 51. 00 Road N. S. about 5 chains is the dwelling
 of Mr. Oliver Leave Prairie
 70. 00 To Prairie
 79. 60 Enter field

- West Between Sec. 7 & 18.
 54. 33 Leave field
 65. 74 Intersect N & S line. 144 links North of the Post

- East Connected between Sec. 7 & 18.
 45. 74 Set a gr. Sec. post and raised a Mound
 85. 74 Set a Post Corner to Sec. 7. 8. 17 & 18 from which
 a W. Oak 18 in. diam. bears S 69 E 64 3 links disy &
 a D. 20 " " " S 22 E 7. 77 " "
 Land Rolling 1st rate High. Dry & rich. Prairie.

- East Connected between Sec. 8 & 17.
 40. 00 Set a gr. Sec. post from which
 a B. Oak 12 in. diam. bears S 36 E 30 7 links disy &
 a Burr Oak 10 " " " East 1. 12 " "
 50. 00 Set a Post Corner to Sec. 8. 9. 16. 8 & 17 from which
 an R. Oak 18 in. diam. bears N 14 E. 88 links disy &
 a D. 18 " " " N 45 E 1153 " "
 Land in Prairie same. Wood land 3rd rate.
 Timber. W. & B. Oak. Haze. &c.

T 33 N. R. 6. E 2nd Mer. Indiana.

63

East Corrected between Sec. 9 & 10.

20.43 A W. Oak 20 in. diam.

40.00 Set a gr. Sec post. from which
a W. Oak 18 in. diam. bears S 51 $\frac{3}{4}$ E 1.21 links dist. &
a Do 24 " " " S 39 W 130. " "

50.00 A W. Oak 30 " "

80.00 To Sec Corner.

Land 3^d rate. Timber. W. & R Oak Willow. Hazel. &c.

South Between Sec. 10 & 17

7.25 Leave the Swamp.

9.50 Road N.W.

10.77 A W. Oak 20 in. diam.

37.00 To Marsh

40.00 Set a gr. Sec post from which
a W. Oak 20 in. diam. bears S 42 $\frac{1}{2}$ E 1.11 links dist. &
a Do 24 " " " S 43 W 1.77 " "

41.00 Leave the Marsh.

41.55 A W. Oak 20 in. diam.

54.50 To Marsh

61.50 Leave same

64.11 Intersect North line of Minogriets & Hinkesh's
Reserve and set a Post from which
a W. Oak 20 in. diam. bears N 17 $\frac{1}{2}$ E 26 $\frac{1}{2}$ lbs dist. &
a Do 24 " " " N 30 $\frac{1}{2}$ W 2 $\frac{1}{2}$ " "
Measured East along said line 35 $\frac{1}{4}$ to the end
thereof.

North Between Sec. 8 & 9.

40.00 Set a gr. Sec post from which
an Aspin 8 in. diam. bears S 10 $\frac{1}{2}$ E 3 links dist. &
a Cherry 12 " " " N 17 $\frac{1}{4}$ W 01 " "

49.44 A Burr Oak 12 in. diam.

50.80 A Nail. Course N.W.

61.65 A Hickory 20 in. diam.

67.00 To Marsh 3 chains wide.

T³³. N. P. O. E. 2nd Mer. Indiana

72.30 Road N. E

79.39 A W. Oak 30 in. diam.

80.00 Set a Post Corner to Sec? 4. 5. 8 & 9 from which
 a Burr Oak 14 in. diam. bears N 75 $\frac{1}{2}$ W 37 links dist.
 An R. Oak 36 " " " S 40 $\frac{1}{2}$ E 1.27 " "
 Land 2nd rate. Timber. W. & R. Oak. Hickory
 Maple. &c.

East On Random between Sec? 4 & 9.

10.00 South 1.50 is the dwelling of Mr. Harper.

37.72 Road N E

53.50 North about 5 chains is the Dwelling of Mr. Waymire

79.57 Intersect N & S line 6 links South of the Post.

West Connected between Sec? 4 & 9.

0.92 A Sugar 24 in. diam.

11.80 An Elm 50 " "

23.41 A Hackberry 18 in. diam.

39.78 Set a gr. Sec Post at aver. dist. from which
 a W. Ash 18 in. diam. bears N 24 $\frac{1}{4}$ W 55 $\frac{1}{2}$ links dist.
 and Ironwood 10 in. " " S 17 $\frac{1}{4}$ W 80 $\frac{1}{2}$ " "

48.89 An R. Oak 36 " "

55.85 A Do 34 " "

79.57 To the Corner.

North Between Sec? 4 & 5

10.00 Enter Field & Prairie

45.00 Set a gr. Sec Post and raised a Mound.

70.08 Intersect North Boundary at Post in Prairie
 Land in Prairie level 1st rate. Woodland
 2nd rate. Timber. W. Oak. Maple &c.

South Between Sec? 17 & 18

7.00 Leave Field.

10.81 A W. Oak 20 in. diam. & Leave Prairie

45.00 Set a gr. Sec Post from which

T 33. N. R. O. E Ind. Mer. Indiana. 65

Burr Oak 15 in. diam. bears S 42 E 63 1/2 links dist 8 & a
 W. Oak 24 " " " S 74 W 81 " "

115.70 A Trail. Course N W

54.50 To Marsh

56.75 Leave same

64.29 A W. Oak 12 in. diam.

64.44 Intersect the North line of Minogues & Kinkash's
 Reservation, and set a Post from which
 a W. Oak 10 in. diam. bears N 35 E 13 links dist 8
 a Do. 12 " " " N 28 W 22 " "

North Between Sec. 7 & 8

10.50 Leave Field

40.00 Set a gr. Sec. Post. from which
 a Burr Oak 18 in. diam. bears N 39 3/4 E 8.12 lks. dist
 & a Do 20 " " " N 22 1/2 W 5.51 " "

45.00 Leave Prairie. East about 15 chains is a Dwelling
 House.

56.33 A W Oak 24 in. diam.

72.50 Enter Marsh

80.00 Set a Post Corner to Sec. 5. 6. 7. & 8 from which
 a Burr Oak 18 in. diam. bears N 17 1/2 W 3.24 lks. dist
 & a W. Oak 24 " " " S 83 1/2 W 4.40 " "

East On Random between Sec. 5 & 8.

53.50 Leave the Marsh.

54.55 Road from Gashen to Logansport.

79.90 Intersect the N V S. line 42 links North of the Post.

West Connected between Sec. 5 & 8.

15.62 A Hickory 18 in. diam.

39.75 Set a gr. Sec. Post at aver. dist. from which
 a Hickory 12 in. diam. bears S 88 1/2 E 13.89 links dist
 a W Oak 24 " " " N 63 1/2 W 5.60 " "

79.90 To Sec. Corner.

T33. N. R. O. E 2nd Mer. Indiana.

West On Random between Sec. 6 & 7.
 3. 50 Leave the Marsh
 8. 00 South 5 chains is a Dwelling House.
 11 80 Enter Field & Prairie
 27 40 Leave same
 38 00 A Road N & E
 40. 00 Leave Prairie
 45 00 South about 5 chains is the Dwelling of Mr. Powell.
 51. 50 Enter Prairie
 62. 50 South 1 chain is the Dwelling of Mr. St-
 80. 50 Intersected West Boundary 28 links North of Post.

East Connected between Sec. 6 & 7.
 35 55 An R Oak 30 in. diam.
 37. 55 A W. Oak 20 " "
 40. 50 Set a g.p. Sec. Post. from which:
 a B. Oak 12 in. diam. bears N 52 W 26 links dist. &
 a G. 12 " " " S 49 3/4 W. 41 " "
 80 50 To the Corner

North Between Sec. 5 & 6. in Marsh
 40. 00 Set a g.p. Sec. Post from which, a
 W. Oak 30 in. diam. bears S 69 1/4 W. 149 5 links dist. &
 No other tree near.
 69 05 Intersect the North Boundary at Post.
 Land all Marsh. Covered with Coarse Grass
 June 20th 1834

Meanders of Lake William.

Beginning at Post on line between Sec. 24 & 25.
 On East side of Lake. Thence in Sec. 24.

N 29 1/2 W. 50
 N 25 E 11. 50
 N 11 1/2 W. 7. 50
 N 77 W 10. 00
 S 24 W 9. 50.

T. B. A. R. C. & Ima Mer. Indiana.

67

S 15 1/4 W 6. 40 To Post on line between Sec. 23 & 24.
North side of Lake. Thence in Sec. 23.

S 27 1/4 W 11. 47 To Post on line between Sec. 23 & 26.
On West side of Lake.

S 77 1/2 W 8. 00 In Sec. 26

S 37 1/2 W 17. 00

S 1/2 W 11. 50

S 17 E 9. 00

N 65 W 13. 50

N 65 1/2 W 16. 00

S 112 1/2 W 12. 50

S 54 1/2 W 21. 00

N 69 1/2 W 5. 24 To Post on line between Sec. 26 & 27.
North side of Lake. Thence

N 45 W 6. 57 In Sec 27.

S 70 W 9. 50

S 41 W 11. 00

S 3. E 6. 50

S 57 E 9. 00

S 57 1/2 E 16. 50 To Post on line between Sec. 26 & 27.
On South side of the Lake. Thence

S 15 1/4 E 4. 21. In Sec 26 To Post on line
between Sec. 26 & 35. On West side of
Lake. Thence in Sec. 35

S 15 1/4 E 7. 50

S 82 E 12. 00

N 1/2 E 8. 00 To Post on line between Sec. 26 & 35
Thence in Sec 26.

N 88 1/2 E 20. 50

N 80 1/2 E 13. 50

T33. N. P. O. E. 2nd Mer. IndianaS 44¹/₂ E 11.00S 16¹/₄ W 10.00S 17¹/₂ E 2.23 To Post on line between Sec. 26 & 35.
Thence in Sec. 35.

S 24 E 20.00

S 4¹/₂ W 19.00

S 19 E 13.00

S 47¹/₂ W 10.00S 74¹/₂ E 6.50 At 75 links in Outlet 40 links wide. Course S W

S 53 E 8.50

S 84 E 7.50

N 05 E 9.00

N 40 E 17.50 At 5.17 A Brook 3 links wide. Cor. -

N 13¹/₂ E 7.50N 14¹/₂ W 7.50

N 7 W 8.00

N 32 W 23.00

N 08¹/₂ W 8.00

S 76 W 5.50

N 45 W 6.10 To Post on line between Sec. 26 & 35.

On East side of the Lake. Thence in Sec. 26

N 9 W 4.50

N 00 E 2.50

S 79¹/₂ E 9.50

N 57 E 14.50

S 67¹/₂ E 7.50N 81¹/₂ E 5.50

N 56 E 1.43 To Post on line between Sec. 25 & 26.

On South side of Lake. Thence

S 83 E 8.00

In Sec. 25.

N 68 E 4.00

N 54 E 9.50

S 81¹/₂ E 4.00

T 33 N. R. 6. E 2nd Mer. Indiana.

69

S 67 1/2 E 2.50

N 87 1/2 E 3.50

N 50 E 4.00

N 27 E 3.50

N 44 E 2.50

N 16 E 11.50

N 14 E 6.00

N 26 1/2 W 6.00 At 5.00 an Inlet 10 links wide.

N 14 1/2 W 14.00

N 30 W 15.50

N 48 1/2 W 10.05 To place of Beginning

Meanders of a Lake in Sec. 12. N 13

Beginning at Post on line between Sec. 12 & 13.

East side of Lake Thence

S 10 W 6.50

On Sec 13

S 68 W 11.00

N 69 W 8.00

N 30 W 9.08 To Post on line between Sec. 12 & 13
On the West side of Lake. Thence

N 15 W 9.00

N 74 E 8.00 At 3.00 An Outlet 4 links wide. Course S & W.

S 55 1/2 E 7.50

S 67 1/2 E 10.00

On Sec 12

S 13 1/2 E 6.28 To place of Beginning

Meanders of Tippecanoe Lake in Sec. 1 & 12.

Beginning at Post on Range line. On South side of Lake. Thence in Sec 12.

N 42 W 3.50

N 76 1/2 W 4.00

N 25 W 5.00

S 50 W 5.50

S 44 1/2 W 5.00

S 69 W 9.00

T33 N. R. O. E. Iowa - Indiana.

S23 W 7.50

S84 W 9.50

S68 1/2 W 8.00

N85 W 5.50

N57 1/4 W 12.00

S64 W 5.12

S39 W 5.50

S4 E 13.50

S40 1/4 W 5.80 To Post on East line of Mesquabucks
Indian Reservation. South side of Lake.Beginning at a Post on Range line on the
North side of Lake. Thence

S87 W 5.00 In Sec 1

S55 W 8.50

N88 W 15.50

S49 W 7.00

Note 8.91

N28 W 3.50

S88 1/2 W 3.00 At 2.00 An Inlet 10 links wide

S33 W 3.00

S15 1/4 W 2.91 To Post on line between Sec. 1 & 12
On West side of Lake. Thence

S47 W 0.00 In Sec 12

S29 1/2 W 7.00

S27 1/2 E 13.00 At 1.50 An Inlet 6 links wide

S3 1/2 W 8.00

S67 W 8.00 At 5.00 An Inlet 4 links wide

S50 W 4.50

S67 W 10.79

S19 1/2 W 10.00

S8 W 3.34 To Post on East line of Mesquabucks Indian
Reservation North side of Lake.June 24th. 1834Surveyed by
R. J. Hansen. J. S.

T 33. N. R. 6. E 2nd Mer. Indiana

71

I do hereby Certify that in pursuance of a Contract with Micajah T. Williams Surveyor General of the United States. for the States of Ohio. Indiana and the Territory of Michigan. bearing date the 10th of Jan^y 1834. and in strict Conformity to the Laws of the United States & the Instructions of the said said Surveyor General, I have surveyed and subdivided into Sections Township T 33. North of Range 1st East of the 2nd Mer. in the state of Indiana. And I further Certify that the foregoing are the true and original Field notes of the said survey. & subdivisions executed as aforesaid

Certified this 27th day of June 1834.

R. J. Danson.

Dep^y Surveyor.

David Mepler. }
Isaac } Chairmen

William Knight.

Assman.

T33. N. R. O. E. 2nd Mer. Indiana

Field Notes of Miss-gua-luck's Reserve
 Lying in Township N 33 North of Range N 6
 East of the 2nd Mer. Indiana
 Commenced Oct 5th and completed Oct. 8th 1836.

North Between Secs 13 & 14.

3. 80 At W. Oak 26 in. diam.

5. 41 Set a gr. etc. post from which a
 W. Oak 24 in. diam. bears S 71 $\frac{1}{2}$ W 8 links dist. &
 a Do 23 " " " S 57 E 82 " "

7. 00 Enter Mt. Slough

10. 00 Leave Do. Lying E & West.

38. 00 Road & Indian village

40. 02 Set a Post Corner of Secs 11. 12. 13. 14 from which
 a W. Oak 23 in. diam. bears S 28 $\frac{1}{2}$ E 300 links dist. &
 a Do 23 " " " S 82 W 250 " "

Land level second rate. Timber. Oak & Hickory.
 This Corner is further North than the area. Dist.
 would make it. in order to make it even with the
 Corner on East Boundary of Reserve

East On Ransom between Secs 12 & 13

5. 77 Intersect E. Boundary at Post.

Land level and 2nd rate. Timber. Oak.

West Connected between Secs 12 & 13

5. 77 To Sec. Corner

North Between Secs 11 & 12

6. 50 Set a Post on the Left Bank of Tippecanoe Lake
 and River. from which

a W. Oak 22 in. diam. bears S 21 E 99 links dist. &
 a Do 12 " " " S 26 $\frac{1}{2}$ W 111 " "

28. 50 Over. and set a Post on the Left Bank in small
 swamps. from which

a Maple 11 in. diam. bears N 30 $\frac{1}{2}$ E 28 links dist. &

T 33. N. R. & E 2nd Mer. Indiana

73

40.00 Maple 10 in. diam. bears N 5 $\frac{1}{2}$ W 27 links dist
 Set a gr. the post. from which
 a W. Oak 24 in. diam. bears N 6 $\frac{1}{4}$ W. 193 links dist &
 a Do 19 " " " N 22 $\frac{1}{4}$ W 225 " "

41.00 Leave Marsh

50.00 Set a Post Corner to Sec. 1. 2. 11. 112 from which
 a W. Oak 21 in. diam. bears N 50 W. 72 links dist &
 a Do 30 " " " S 44 E 104 " "
 Land Rolling & barely 2nd rate. too much Marsh
 on the North side of Lake. Timber. Oak. Maple.
 Willow. &c.

East On Random between Sec. 1. 112.

5.28 Intersect E. Boundary 12 links North of the Post.
 Land an Oakridge

West Connected between Sec. 1. 112

5.28 In the Corner. Oct. 6th 1836?

North Between Sec. 1. 113.

34.50 Sec. Corner on Boundary
 Land rolling. good 2nd rate soil. Timber, Oak.
 Walnut Poplar. Ash. &c. very scattering

North Between Sec. 14 115.

7.40 Set a gr. the post. from which
 a W. Oak 22 in. diam. bears N. 22 E. 9 links dist &
 a Do 0 " " " N 59 E 50 " "

14.98 A W. Oak 11 in. diam.

20.00 Enter Bone Prairie

47.40 Set a Post Corner to Sec. 10. 11. 14 115. from which
 a Burr Oak 20 in. diam. bears N 2 $\frac{1}{2}$ W 9 links dist &
 a W. Oak 30 " " " N 11 $\frac{1}{4}$ E 10 " "
 Land Rolling and 2nd rate. Timber scattering Oak.

East On Random between Sec. 11. 114.

T 33 N. R. 6. E 2nd Mer. Indiana

- 11.00 Enter thicker Timber
 72.00 Right Bank River. (Shippicanaw) 200 links
 wide. Course E of South.
 80 34 Intersect N & S line 84 links North of the Post.
 Land level 2nd rate. Timber, Oak, Ash, Elm, Poplar &c

- West Connected between Sec? 11. 114.
 40 17 Set a gr. Sec post at aver. dist^s from which
 a W. Oak 23 in. diam. bears N 28 W 32 links dist &
 a Do 20 " " " S 62 1/2 E 63 " "
 80 34 To Sec Corner.

- West On Random between Sec? 10 & 15.
 35 00 Scare Bone Prairie
 54 50 Enter Wet Prairie
 74.00 Scare Do.
 75.04 Intersect N & S line 29 links South of the Post.
 Land level & good 2nd rate. Timber, Oak.

- East Connected between Sec? 10 & 15.
 31.81 A Poplar 20 in. diam.
 34.90 Set a gr. Sec post from which
 a W. Oak 11 in. diam. bears N 15 E 43 links dist &
 a W. Elm 22 " " " S 55 1/4 E 40 " "
 75.04 To Sec Corner.

- North Between Sec? 10 & 11
 110.11 Set a gr. Sec post from which
 a Burr Oak 12 in. diam. bears N 21 E 174 links dist
 & a W. Oak 12 " " " N 56 1/4 E. 214 " "
 80.00 Set a Post Corner to Sec? 2. 3. 10 & 11. from which
 a B. Oak 24 in. diam. bears S 31 W. 452 links dist &
 a Do 12 " " " N 16 1/2 E 351 " "
 Land a little Rolling 1st rate Prairie
 Scattering Oak Timber.

T33 N. R. O. E 2nd Mer. Indiana.

75

East On Random between Sec. 2 & 11.

80.04 Intersect the N & S line 6 1/4 links North of the Post.
Land level: good 1st rate soil. Mostly Prairie with
scattering timber. Thicker towards East end.
Oak & Hickory.

West Corrected between Sec. 2 & 11

1.01 1 W. Oak 26 in. diam.

40.02 Set a gr. Sec post at westerly dist. from which
a Hickory 10 in. diam. bears N 49 3/4 W 102 links dist. &
a B Oak 15 " " " N 9 1/4 W 218 " "

44.86 A Hickory 20 " "

80.04 To Sec Corner.

West On Random between Sec. 3 & 10.

34.00 Leave Prairie & Enter Thick Timber

75.67 Intersect N & S line 51 links South of the Post.
Land level & 1st rate. Timber. Oak. Ash. Walnut.
Hickory. Elm. Buck Sugar &c.

East Corrected... between Sec. 3 & 10.

35.39 Set a gr. Sec post. from which
a B. Walnut 24 in. diam. bears N. 24 3/4 W 22 lks dist. &
a W Walnut 20 " " " S 59 E 8 " "

75.67 To Sec Corner

North Between Sec. 2 & 3

17.00 Leave Bone Prairie & Enter Thick Timber

33.09 Intersected at the Corner, where one bearing tree
being cut down took a new one. so that the bearings
now are

a Sugar 24 in. diam. bears N 39 W 87 links dist. &

a Buck 18 " " " S 12 E 45 " "

Land level & 1st rate. Timber same as last mile

October 7th 1836.

T33 N. R. 6 E 2nd Mer. Indiana.

Meanders of Tippecanoe Lake and River:-
Beginning at Post on the East Boundary of the
Reserve, on the Left Bank in Sec 12. Thence down
Stream Var. 5° 20' E

Course Distances. Remarks
S 70° 13' W 5.80 To Post on line of Sec 11 & 12. Thence

N 86° 47' 11.75 On Sec 11 At 9 chains 420 links
Left Bank of Outlet or Tippecanoe River.
2.50 links wide. Course South.

N 110° W 7.00

N 25° E 8.00 To Marshy shore.

N 55° E 7.00

East 3.00 To Maple Swamp.

S 74° E 1.50 To line of Sec 11 & 12.

S 75° E 5.74 To Post on East Boundary
October 8th. Finished and started home in a hurry
Surveyed by
Jeremiah Smith D.H.

I hereby Certify that in pursuance of a Contract with
Robert T. Lytle Surveyor General of the United States
for the States of Ohio, Indiana & the Territory of Michigan,
bearing date 5th day of July 1836. And in strict Conform-
ity to the Laws of the United States and the instructions
of said Surveyor General, I have surveyed & subdivided
into Sections Musquabucks Reserve, in Township N 33
North of Range N 6 East in the State of Indiana. And
I further Certify that the foregoing are the true & Original
Field Notes of the said survey & subdivisions Expended
as aforesaid

Certified this 8th day of Oct 1836.

Jeremiah Smith D.H.

Murrah Scruggs.

Thomas Miller. } Chainmen

T 33. N. R. 6. E. 2nd Mer. Indiana.

77

Field Notes of that part of Menoquin & Hinckley's Reserve lying in Township 33 North of Range No 6 East. in Indiana.

Commenced on the 20th. and completed 22nd day of July 1837.

North Between Sec? 32 & 33 var. 5.45'E

10.00 Set a gr. Sec post from which

a W. Oak 22 in. diam. bears N 71 E 98 links dist &

a Do 23 " " " N 37 W 157 " "

50.00 Set a Post Corner to Sec? 28 29. 32 & 33. from which

a Hickory 12 in. diam. bears N 33 1/2 E 1.50 links dist &

a B. Oak 24 " " " N 48 1/4 W. 292 " "

Land a little rolling. 3rd rate Barrens. Timber Oak & Hickory.

East On Random between Sec? 28 & 33

30.32 Intersected N & S line 9 links South of the Post
Land level. 2nd rate Barrens. Timber. Oak.

West Connected between Sec? 28 & 33.

North Between Sec? 28 & 29. var. 5.30'E

40.00 Set a gr. Sec post from which

a Hickory 8 in. diam. bears N 77 1/2 E 15 links dist &

a Do 7 " " " S 49 3/4 W 37 " "

48.00 Enter Marsh

61.54 An Aspin 11 in. diam.

61.00 Leave the Marsh

66.59 A W Oak 22 in. diam.

80.00 Set a Post Corner to Sec? 20 21. 28 & 29 from which

a Sycamore 28 in. diam. bears S 62 W 6 links dist & a

Y. Ash 15 " " " S 54 1/2 - 56 " "

Land level & 3rd rate. Timber. Oak. Ash. Sycamore
Aspin &c.

July 20th 1837.

East On Random between Sec? 21 & 28.

T 33. N. R. O. E 2nd Mer. Indiana 79

10. 30 To Section Corner.

-
- North Between Sec? 31 & 32. bce. S. 30' E.
2. 54 A Swamp Ash 12 in. diam.
0. 32 To Tippicanoe River 100 links wide. Course S W.
10. 72 Set a q. Sec post. from which
 a W. Elm 12 in. diam. bears N 88° W 23 links dist. &
 a Y. Ash 6 " " " S 51° E 8 " "
11. 00 Tippicanoe River 100 links wide. Course S E.
20. 54 A Poplar 13 in. diam.
50. 72 Set a Post Corner to Sec? 29. 30. 31. & 32. from which
 a Sugar 22 in. diam. bears N 33° E 15 links dist. &
 a Y. Ash 8 " " " S 55° W 16 " "
 Land level & 3rd rate. Mt. & Paddy along the River
 Timber: Oak. Ash. Elm. Maple. Walnut. Poplar &c.
-

- East On Random between Sec? 29 & 32.
10. 00 Enter Barrens & Glade.
79. 90 Intersected A & S line 75 links South of the Post.
 Land level & 2nd rate. Timber. mostly Oak.
 Some Ash. Elm. Gyna. & Walnut.
-

- West Corrected between Sec? 29 & 32.
39. 90 Set a q. Sec post. from which
 a Burr Oak 7 in. diam. bears N 32° E 44 links dist. &
 a W. Oak 8 " " " S 40° W 51 " "
76. 95 A Swamp Ash 20 in. diam.
79. 90 To Sec. Corner.
-

- West On Random between Sec? 30 & 31.
10. 50 To Tippicanoe River 70 links wide Course East.
55. 18 Intersect Range line 17 links North of the Post.
 Land a little rolling and 2nd rate. Timber. Oak.
 Ash. Birch. Sugar. Elm. Hackberry. &c.
- Bearings A Sugar 12 in. diam. bears N 75° E 44 links dist. &
 a Buckeye 9 " " " S 60° E 23 " "

T. B. N. P. O. E 2nd M^{ile}. Indiana.

East Corrected between Sec. 30 & 31.
 21.55 A Sugar 23 in. diam.
 22.45 A Buck 24 " "
 45.18 Set a gr. the post from which
 a Sugar 11 in. diam. bears N. 22 $\frac{1}{2}$ E 15 links dist. &
 a Buck 10 " " " S 18 $\frac{1}{4}$ W 25 " "
 55.18 To Sec. Corner.

North Between Sec. 29 & 30
 2.80 A Swamp Ash 18 in. diam.
 10.82 A " Do 22 " "
 14.58 A Yuccamore 21 " "
 31.00 Tippicanoe River 70 links wide Course West
 35.30 A Maple 23 in. diam.
 38.00 Tippicanoe River 75 links wide. Course S.E.
 40.00 Set a gr. the post on Bank of River. from which
 a Spruce 7 in. diam. bears N 40 E 28 links dist. &
 a W. Walnut 6 in. " " S 63 E 25 " "
 41.50 Tippicanoe River 100 links wide. Course S.W.
 47.50 Ascend high Bank & Mt. Barrens.
 57.00 Set a Post Corner to Sec. 19. 20. 29. & 30 from which
 a Barked Cherry 28 in. diam. bears S 10 W 13 links dist. &
 a Buck 20 " " " N 5 E 42 " "
 Land 3rd rate. Timber. Oak. Maple. Ash. Elm.
 Cherry. Buck &c.

East On. Random between Sec. 20 & 29.
 54.00 Tippicanoe River 75 links wide. Course South
 58.50 Do. " " " " North
 63.00 Do. " 80 " " " S.W.
 80.00 Intersect the N & S line 49 links South of the Post.
 Land level & 3rd rate. Timber same as last mile.

West Corrected between Sec. 20 & 29.
 40.00 Set a gr. the post from which
 a Maple 10 in. diam. bears N. 40 W 40 links dist. &

T. B. N. P. O. E 2nd Mr. Indiana.

81

57. 00 a W. Oak 20 in. diam. bears S. 8. W. 103 links dis.
To the Corner. July 21st 1837.

W36 On Random between Sec. 19 & 30.
85. 00 Intersect the West Boundary 13 links South of the Post.
Bearings for Corner of Sec. 19 & 30.
a Sugar 18 in. diam. bears N 61 E 35 links dis. &
an Ironwood 6. " " S 66 E 28 " "
Land level & 1st rate. Timber. Walnut. Ash. Sugar.
Poplar. Lym. Elm. &c.

East Corrected between Sec. 19 & 30
25. 11 An Elm 24 in. diam.
115. 00 Set a q. the Post from which
a W. Oak 18 in. diam. bears N 78 E 30 links dis. &
a Do 20 " " S 50 W 12 " "
47. 84 A W. Oak 20 " "
85 00 To the Corner.

North Between Sec. 19 & 20.
14. 91 An R. Oak 14 in. diam.
24. 13 A W. Oak 14 " "
140. 00 Set a q. the Post from which
a W. Oak 24 in. diam. bears N 24 E. 25 links dis. &
a Do 20 " " N 77 W 35 " "
52 91 A W. Oak 30 " "
53 00 A Do 24 " "
71 99 A Do 26 " "
80 00 Set a Post Corner to Sec. 17 18. 19 & 20. from which
a W. Oak 24 in. diam. bears S 12 W. 20 links dis. &
a Do 36 " " N 12 W 35 " "
Land level & 2nd rate. Timber Oak.

East On Random between Sec. 17 & 20
7. 50 Enter Whittleberry Marsh N & S.
20 50 Left Do.

T33. N. R. O. E 2nd Mer. Indiana.

50.00 Enter Whortleberry marsh
 72.00 Left Dr. " Circular.
 80.27 Intersect N. & S. line 144 links South of the Post.
 Land level & 3^d rate. Marsh & Barrens alternately
 Timber scattering Oak.

West Corrected between Sec. 17 & 20.
 110 13 1/2 Set a g. Sec post at aver. dist. from which
 a W. Oak 25 in. diam. bears S. 25 W. 119 links dist. &
 a Do 20 " " " N 38 E 70 " "
 80 27 To Sec. Corner.

West On Random between Sec. 18 & 19.
 80.00 Intersect the Range line 31 links S. of the Post.
 Bearings for the Corner of Sec. 18 & 19.
 a Beech 20 in. diam. bears N 50 E 57 links dist. &
 a Blue Ash 12 " " " S. 39 E 38 " "
 Land level & 1st rate. Timber. Oak. Ash. Walnut.
 Ash. Elm. Lyrn. Sugar. &c.

East Corrected between Sec. 18 & 19.
 110 00 Set a g. Sec post from which
 a W. Oak 24 in. diam. bears N 89 E 31 links dist. &
 a Do 28 " " " S 64 W 80 " "
 57.50 A W. Oak 24 " "
 80.00 To Sec. Corner.

North Between Sec. 17 & 18.
 10.49 Intersect the North Boundary of Reserve at Post
 Land level & 2nd rate. Timber. Oak.

South Corrected between Sec. 17 & 18
 0 84 A W. Oak 24 in. diam.
 10.49 To Sec. Corner
 July 22^d 1837

Surveyed by
 Jeremiah Smith & S.

T 33. N. R. 6. E. 2nd Mer. Indiana. 83

I hereby Certify that in pursuance of a Contract with Robert T. Lytle, Surveyor General of the United States for the States of Ohio, Indiana, and the Ter. of Michigan, bearing date the 27th day of May, 1837, and in strict conformity to the laws of the United States and the instructions of said Surveyor General I have surveyed and subdivided into Sections Minoguis and Hinkash's Reserve, lying in Township No 33 North of Range No 6 East of the 2nd Meridian in the State of Indiana, and I do further Certify that the foregoing are the true and original Field Notes of the said survey and subdivisions executed as aforesaid.
Certified this 22^d day of July 1837.

Jeremiah Smith
Dep. Surveyor.

Benjamin
William Wright } Chainmen
Jonathan Kulle. Marker.

I Certify that the foregoing transcripts of the Field Notes of Township No 33 North of Range No 6 East of the 2nd Meridian in Indiana, has been compared with the Original Notes in this Office, and found to be Correct.

Surveyor General's Office.
Cincinnati March 7th 1843.

William Johnston
Dep. Genl.